## LIST OF POSTER PRESENTATIONS

- PS-1 First-principles study of microstructure of the Li-rich layered cathode/solid-state electrolytes interface <u>Akira Inayoshi</u>, Tomoyuki Tamura, Ryo Kobayashi, and Shuji Ogata Nagoya Institute of Technology, Gokiso-cho, Showa-ku, Nagoya, Aichi 466-8555, Japan
- PS-2 Phase Stability of the Dy-Nd and Dy-Fe Binary System
   <u>Arkapol Saengdeejing</u><sup>1</sup>, Ying Chen<sup>1</sup>, Masashi Matsuura<sup>2</sup>, Satoshi Sugimoto<sup>2</sup>
   <sup>1</sup>Fracture and Reliability Research Institute, Graduate School of Engineering, Tohoku University, Japan
   <sup>2</sup>Department of Materials Science, Graduate School of Engineering, Tohoku University, Japan
- PS-3 Methane and Ethane Oxidative Dehydrogenation Mechanism on MoO<sub>3</sub> and Transition Metal Doped MoO<sub>3</sub> Surfaces
   <u>Chen-Cheng Liao</u>, Yao-Shun Zhan, Yu-Te Chan, Ming-Kang Tsai
   Department of Chemistry, National Taiwan Normal University, Taipei 10677, Taiwan
- PS-4 Theoretical Prediction of Organic Crystal Morphology and Carrier Mobility
   <u>Eunyoung Choi</u> and Sang Uck Lee
   Department of Applied Chemistry, Hanyang University, Ansan, Korea 426-791
- PS-5 Computational Materials Design by First-principles based Multiscale Simulations
   <u>Hiroshi Mizuseki</u><sup>1</sup>, Seungchul Kim<sup>1</sup>, Sang Soo Han<sup>1</sup>, Kahyun Hur<sup>1</sup>, Takashi Goto<sup>2</sup>

   <sup>1</sup>Center for Computational Science, Korea Institute of Science and Technology (KIST), Hwarangno 14-gil 5, Seongbuk-gu, Seoul, 136-791, Republic of Korea
   <sup>2</sup>Institute for Materials Research, Tohoku University, Sendai, 980-8577, Japan

PS-6 Dissociation Dynamics of a Gas Molecule on Titanium Dioxide Nanocluster: A Time-dependent Density Functional Theoretical Study
 <u>Hiroshi Mizuseki</u><sup>1</sup> and Ryoji Sahara<sup>2</sup>
 <sup>1</sup>Center for Computational Science, Korea Institute of Science and Technology (KIST), Hwarangno 14-gil 5, Seongbuk-gu, Seoul, 136-791, Republic of Korea
 <sup>2</sup>National Institute for Materials Science, Research Center for Strategic Materials, 1-2-1 Sengen, Tsukuba, Ibaraki 305-0035, Japan

PS-7 Effect of functional group and intercalated ion on hydrogen storage in layered graphite oxide : ab intio and molecular dynamics study <u>Jaehyun Bae</u>, Jeongwoon Hwang, Jisoon Ihm

Department of Physics and Astronomy, Seoul National University

- PS-8 Phonon softening and failure of graphene under tensile strain
   <u>Jeongwoon Hwang</u><sup>1</sup>, Yea-Lee Lee<sup>1</sup>, Jaehyun Bae<sup>1</sup>, Jisoon Ihm<sup>1</sup>, Kyung-Suk Kim<sup>2</sup>, and Moon-Hyun Cha<sup>2</sup>
   <sup>1</sup>Department of Physics and Astronomy Seoul National University, Seoul 151-747, Republic of Korea
   <sup>2</sup>School of Engineering Brown University Providence, RI 02912, USA
- PS-9 Applications of Two-dimensional Materials for Energy Applications Jer-Lai Kuo
   Institute of Atomic and Molecular Science, Academia Sinica, Taipei, Taiwan
- PS-10 Atomistic study of the effect of temperature on diffusion bonding between bcc and fcc metals <u>Jun-Ping Du</u><sup>1</sup>, Shigenobu Ogata<sup>1,2</sup>
   <sup>1</sup>Graduate School of Engineering Science, Osaka University, Osaka 560-8531, Japan.
   <sup>2</sup>Center for Elements Strategy Initiative for Structural Materials (ESISM), Kyoto University, Sakyo, Kyoto 606-8501, Japan
- PS-11 Removing heavy metal ions in water using N-doped porous carbon <u>Keunsu Choi</u><sup>1</sup>, Jisun Han<sup>2</sup>, Hiroshi Mizuseki<sup>1</sup>
   <sup>1</sup>Korea Institute of Science and Technology, Seongbuk-gu, Seoul, Korea
   <sup>2</sup>Department of Materials Science & Engineering, Seoul National University, Gwanak-gu, Seoul, Korea
- PS-12 Host-site substitution effects for electronic structure of K-Ba-Ga-Sn Clathrates K. Akai, K. Kishimoto, T. Koyanagi, and S. Yamamoto
   Yamaguchi University,1677-1 Yoshida, Yamaguchi 753-8511, Japan.
- PS-13 Hybrid DFT Study of Behavior of Hydrogen in Li<sub>2</sub>O<sub>2</sub>
   <u>Lijing Kang</u>,<sup>1</sup> Vei Wang,<sup>2</sup> Yunye Liang,<sup>3</sup> Yoshiyuki Kawazoe,<sup>3</sup> Mingwei Chen<sup>1</sup>
   <sup>1</sup>WPI Advanced Institute for Materials Research, Tohoku University, Sendai 980-8579, Japan
   <sup>2</sup>Department of Applied Physics, Xi'an University of Technology, Xi'an 710054, China
   <sup>3</sup>New Industry Creation Hatchery Center, Tohoku University, Sendai 980-8579, Japan
- PS-14 The Maximum Entropy Method Technique Improved for Spectrum Analysis
   <u>Mitsuki Toogoshi</u>, Satoru S. Kano and Yasunari Zempo
   Computer and Information Sciences, Hosei University, 3-7-2 Kajino Koganei, Tokyo 184-8584, Japan

 $\label{eq:PS-15} PS-15 \quad \mbox{Theoretical Study on Relative Stability, Thermal Behaviors and Vibrational Spectra of OH-(H_2O)_n, n = 4 - 7 \\ \underline{Ren-Jie \ Lin}, \ \mbox{Jer-Lai Kuo}$ 

Institute of Atomic and Molecular Science, Academia Sinica, 106 Taipei, Taiwan, ROC.

- PS-16 The extraordinary magnetoelectric response in silicene doped with Fe and Cr atoms
  <u>Rui Zheng</u><sup>1,2</sup>, Xianqing Lin<sup>1,3</sup>, Jun Ni<sup>1,2</sup>, Arkapol Saengdeejing<sup>4</sup>, Ying Chen<sup>4</sup>, and *Hideo Miura<sup>4</sup>*<sup>1</sup>Department of Physics and State Key Laboratory of Low-Dimensional Quantum Physics, Tsinghua University, Beijing 100084, People's Republic of China
  <sup>2</sup>Collaborative Innovative Center of Quantum Matter, Beijing 100084, People's Republic of China
  <sup>3</sup>Department of Applied Physics, Zhejiang University of Technology, Hangzhou 310023, People's Republic of China
  <sup>4</sup>Fracture and Reliability Research Institute, School of Engineering Tohoku University, 6-6-11 Aramakiaoba, Aoba-ku, Sendai, 980-8579, Japan
- PS-17 Theoretical Study on Tribo-chemical Reaction of Diamond-like Carbon under Water Lubrication Shandan Bai<sup>1</sup>, Yasunori Niiyama<sup>1,2</sup>, Yoshihiko Kobayashi<sup>1</sup>, Yuji Higuchi<sup>1</sup>, Nobuki Ozawa<sup>1</sup>, Koshi Adachi<sup>1</sup>, Shigeyuki Mori<sup>2</sup>, Kazue Kurihara<sup>3,4</sup>, and Momoji Kubo<sup>1</sup>
  <sup>1</sup>Graduate School of Engineering, Tohoku University, 6-6, Aoba, Aramaki, Aoba-ku, Sendai 980-8579, Japan
  <sup>2</sup>New Industry Creation Hatchery Center, Tohoku University, Sendai 980-8579, Japan
  <sup>3</sup>Advanced Institute for Materials, Tohoku University, Sendai 980-8577, Japan
  <sup>4</sup>Institute of Multidisciplinary Research for Advanced Materials, Tohoku University, Sendai 980-8577, Japan
- PS-18 Design of BN-60 Nanostructures and BN Diamondoids
   E. Mathan Kumar<sup>1</sup>, <u>S. Sinthika<sup>1</sup></u>, K. Iyakutti<sup>2</sup>, Ranjit Thapa<sup>1</sup>, V.J. Surya<sup>3</sup> and Y. Kawazoe<sup>3</sup>
   <sup>1</sup>SRM Research Institute, SRM University, Kattankulathur-603203, Tamilnadu,India
   <sup>2</sup>Department of Physics and Nanotechnology, SRM University, Kattankulathur-603203, Tamilnadu,India.
   <sup>3</sup>New Industry Creation Hatchery Center (NICHe), Tohoku University, Aramaki, Sendai 980-8579, Japan
- PS-19 Investigation on Hydrogen Storage in Calix[4]arene Crystal
   <u>V. J. Y. Surya</u><sup>1</sup>, R. Sato<sup>2</sup>, M. Yamada<sup>2</sup>, F. Hamada<sup>2</sup> and Y. Kawazoe<sup>1</sup>
   <sup>1</sup>New Industry Creation Hatchery Center, Tohoku University, 6-6-4 Aoba, Aramaki, Sendai 980-8579, Japan.
   <sup>2</sup>Graduate School of Engineering and Resource Science, Akita University, Akita 010-8502, Japan.
- PS-20 Theoretical study on the cohesive properties of organic solids with the van der Waals density functional Kouji Okuma<sup>1</sup>, <u>Susumu Yanagisawa</u><sup>2</sup>, Kunihiko Yamauchi<sup>3</sup>, Takeshi Inaoka<sup>2</sup>, Tamio Oguchi<sup>3</sup>, and Ikutaro Hamada<sup>4</sup>

<sup>1</sup>Graduate school of Engineering and Science, University of the Ryukyus

<sup>2</sup>Department of Physics and Earth Sciences, Faculty of Science, University of the Ryukyus

<sup>3</sup>Institute for Scientific and Industrial Research (ISIR), Osaka University

<sup>4</sup>International Center for Materials Nanoarchitectonics (WPI-MANA) and Global Research Center for Environment and Energy based on Nanomaterials Science (GREEN), National Institute for Materials Science

PS-21 The role of molecular vibration and the electron-positron correlation in positron attachment to weakly polar FH molecule
<u>Takayuki Oyamada</u> and Masanori Tachikawa
Graduate School of Nanobioscience, Yokohama City University

- PS-22 Catalytic Properties of Fluorine-Doped (100) Surface Co<sub>3</sub>O<sub>4</sub> for Elelctrochemical Water Splitting G.A. Kaptagay, <u>T.M. Inerbaev</u><sup>1</sup>, A.T.Akilbekov<sup>1</sup>, Yu.A. Mastrikov<sup>2</sup>, E.A. Kotomin<sup>2</sup>
   <sup>1</sup>L.N. Gumilyov Eurasian National University, Mirzoyan str. 2, Astana, Kazakhstan
   <sup>2</sup>Institute of Solid State Physics, University of Latvia, Kengaraga str. 8, Riga, Latvia
- PS-23 Ab initio hybrid-DFT calculations of hydrogen migration in ZnO
  A. Usseinov, <u>T.M. Inerbaev</u>, A. Akilbekov, F.U. Abuova
  L.N. Gumilyov Eurasian National University, Astana, Kazakhstan

PS-24 Ab-initio calculations of Ag adsorption on the LaMnO<sub>3</sub> (001) surfaces
A.U. Abuova<sup>1</sup>, <u>T.M. Inerbaev</u><sup>1</sup>, E.A. Kotomin<sup>2</sup>, A.T. Akilbekov<sup>1</sup>, YU. A. Mastrikov<sup>2,3</sup>
<sup>1</sup>L.N. Gumilyov Eurasian National University, Mirzoyan str.2, Astana, Kazakhstan
<sup>2</sup>Institute of Solid State Physics, University of Latvia, Kengaraga str. 8, Riga, Latvia
<sup>3</sup>Materials Science and Engineering Dept., University of Maryland, College Park, USA

- PS-25 Hydrogen-Vacancy-Carbon Formation in BCC Iron: First-Principles Study
   <u>Tien Quang Nguyen</u><sup>1</sup>, Hajime Kimizuka<sup>1</sup>, Shigenobu Ogata<sup>1,2</sup>
   <sup>1</sup>Department of Mechanical Science and Bioengineering, Graduate School of Engineering Science, Osaka
   University, 1-3 Machikaneyama-cho, Toyonaka-shi, Osaka 560-8531, JAPAN
   <sup>2</sup>Center for Elements Strategy Initiative for Structural Materials (ESISM), Kyoto University Sakyo, Kyoto 606 8501, JAPAN
- PS-26 Strain-dependent electronic properties of monolayer and bilayer phosphorene <u>Ting Hu</u>, Yang Han, and Jinming Dong Group of Computational Condensed Matter Physics, National Laboratory of Solid State Microstructures and Department of Physics, Nanjing University, Nanjing 210093, P. R. China

 PS-27 First-principles study of transition-metal K-edge XANES for Li-rich solid-solution layered cathode material <u>T. Tamura</u>, R. Kobayashi and S. Ogata Nagoya Institute of Technology, Gokiso-cho, Showa-ku, Nagoya, Aichi 466-8555, Japan

## PS-28 FORCE FIELD PARAMETERS AND ATOMISTIC SURFACE MODELS FOR HYDROXYAPATITE AT AQUEOUS INTERFACES <u>Tzu-Jen Lin</u>, Hendrik Heinz Department of Polymer Engineering, University of Akron, Akron, OHIO 44325, United States

 PS-29 Effect of Anchoring groups on Optical properties and Aggregation of Organic dyes-A DFT study <u>Wei-Chieh Chen</u>, Jyh-Chiang Jiang Department of Chemical Engineering, National Taiwan University of Science and Technology, Taipei, 106, Taiwan, R.O.C

 PS-30 Correct interpretation of Hund's multiplicity rule for the methylene molecule <u>Yohei Maruyama</u><sup>1</sup> and Yoshiyuki Kawazoe<sup>2</sup>
 <sup>1</sup>Sendai National College of Technology, Sendai 989-3128, Japan
 <sup>2</sup>New Industry Creation Hatchery Center, Tohoku University, Sendai 980-8579, Japan

PS-31 Negatively curved cubic carbon crystals with octahedral symmetry Yunye Liang<sup>1</sup>, Makoto Tagami<sup>2</sup>, Hisashi Naito<sup>3</sup>, Yoshiyuki Kawazoe<sup>1,4</sup>, Motoko Kotani<sup>5,6</sup>
<sup>1</sup>New Industry Creation Hatchery Center, Tohoku University, Sendai 980-8579, Japan
<sup>2</sup>Graduate School of Computer Science and Systems Engineering, Kyushu Institute of Technology, Iizuka 820-8502, Japan
<sup>3</sup>Graduate School of Mathematics, Nagoya University, Nagoya 464-8602, Japan
<sup>4</sup>Thermophysics Institute, Siberian Branch, Russian Academy of Sciences, Russia
<sup>5</sup>WPI-AIMR, Tohoku University, Sendai 980-8577, Japan
<sup>6</sup>Mathematical Institute, Graduate School of Science, Tohoku University, Sendai 980-8578, Japan

PS-32 First principles calculations of sp<sup>2</sup> carbon nanomaterials with octagons

<u>Yusuke Noda<sup>1, 2</sup></u>, Shota Ono<sup>1</sup>, and Kaoru Ohno<sup>1</sup>

<sup>1</sup>Department of Physics, Graduate School of Engineering, Yokohama National University, Yokohama, 240-8501, Japan

<sup>2</sup>Japan Society for the Promotion of Science (JSPS) Fellowship (DC2)

PS-33 Mimicking the Organometallic Complexes for Small Molecule Activation: A Computational Exploration Using Nitrogen doped Carbon Nanotube
 <u>Yu-Te Chan</u>, Hsiang-Chun Yeh, Yu-Jou Huang, Ming-Kang Tsai
 Department of Chemistry, National Taiwan Normal University, Taipei 10677, Taiwan.

PS-34 Investigation on Interaction of VOCs with Pyrene based Tetratopic Ligand

<u>Yuvaraj Sivalingam</u>,<sup>1,4</sup> Palani Elumalai,<sup>2</sup> Surya V. J. Yuvaraj,<sup>3</sup> Gabriele Magna,<sup>4</sup> Roberto Paolesse,<sup>5</sup> Kazue Kurihara<sup>1</sup>, Ki-Whan Chi<sup>2</sup>, Yoshiyuki Kawazoe<sup>3</sup> and Corrado Di Natale<sup>4</sup>

<sup>1</sup>WPI-Advanced Institute for Materials Research, Tohoku University, 2-1-1 Katahira, Aoba-ku, Sendai 980-8577, Japan.

<sup>2</sup>Departement of Chemistry, University of Ulsan, Ulsan 680749, Republic of Korea.

<sup>3</sup>New Industry Creation Hatchery Center, Tohoku University, 6-6-4 Aoba, Aramaki, Sendai 980-8579, Japan.

<sup>4</sup>Department of Electronic Engineering, University of Rome Tor Vergata, Via del Politecnico 1, 00133 Roma, Italy.

<sup>5</sup>Department of Chemical Science and Technology, University of Rome Tor Vergata, Via della Ricerca Scientifica, 00133 Roma, Italy.